

S35-S

1/8 Off Road Nitro Power Pro Buggy



SWORK2 S35-S INSTRUCTION MANUAL



INTRODUCTION

SWORKz S35-5 – The Next Evolution in 1/8 Nitro Buggy Racing
Building on the proven success of the SWORKz S35-4 EVO platform, the all-new SWORKz S35-5 has been developed for an even higher level of racing performance.

The well-known and successful geometry of its predecessor has been carefully optimized in key areas, delivering higher cornering speeds, increased traction, and a more forgiving driving feel—without changing the fundamental driving character.

The result is a buggy that remains predictable and easy to control, while offering increased consistency and confidence across a wide variety of track conditions.

High-Performance Chassis Platform

The S35-5 is built around a lightened T7075 hard-anodized aluminum chassis, based on the proven wheelbase layout of the S35-4 EVO, which has been extensively used by SWORKz factory drivers.

In addition, an optional +3 mm extended chassis will once again be available, just like on the S35-4 EVO. This longer version is ideal for fast, high-grip tracks, providing improved stability and easier handling at high speeds.

Drivetrain and Gearbox Technology

The S35-5 drivetrain is designed for high adaptability across different track and grip conditions. The high-quality and successful SWORKz HET differential system from the S35-4 EVO is included as standard, ensuring proven performance and reliability.

An optional 0.8-module spur gear and clutch bell system is available for more efficient and consistent power delivery. The gearbox features adjustable differential and pinion gear heights for fine tuning the drivetrain setup. The 0 (low) position is identical to the S35-4 EVO differential position, providing a familiar baseline setup.

New Sway Bar System (S35-5)

The S35-5 features a new sway bar system integrated into the latest gearbox design.

The new sway bar mounts are supported by ball bearings, allowing the sway bars to move more freely and smoothly while enabling a more precise and consistent adjustment.

This improvement results in a more optimized suspension response, providing increased precision, smoother operation, and higher overall consistency.

Proven Steering System with Enhanced Ackermann Option

The S35-5 is equipped with the proven steering system carried over from the S35-4 EVO, ensuring reliable, consistent, and well-balanced steering characteristics.

A +5 Ackermann plate is included in the kit to increase steering response. For further setup flexibility, an optional +10 Ackermann plate is available, offering maximum steering angle and enhanced steering performance on tight, technical tracks with multiple 180-degree hairpins.

All-New Radio Tray Layout

The redesigned radio tray follows full SWORKz design philosophy and offers:

- Multiple receiver battery mounting options
- Flexible receiver positioning
- Compatibility with various switch types
- Two transponder mounting locations

This ensures clean installation and easy setup customization.

Suspension Arm Components

The S35-5 is equipped with LCD (Large Caster Design) front upper arms, which were already available as an option on the S35-4 EVO and have proven their performance and durability over several years of racing.

To improve durability and cleanliness, plastic covers for the front and rear lower suspension arms are included. These covers provide effective protection against dirt and debris while also giving the buggy a cleaner and more aggressive appearance.

New-Generation Shock System

The shock system of the S35-5 has been completely updated:

- New high-quality X-rings for smoother shock action and improved sealing
- New double-line shock towers:
 - Upper line based on the proven S35-4 EVO design
 - Lower line optimized for high-grip tracks, offering a lower center of gravity and more precise handling
- All-new Samurai Competition spring line, developed specifically for improved balance and consistency

Together, these changes significantly enhance shock performance and overall vehicle control.

Precision Manufacturing and Materials

All SWORKz plastic parts are produced using high-precision injection molding machines, ensuring exceptional fit, durability, and consistency.

Designed for Every Level of Racer

Numerous additional refinements are integrated into the S35-5.

Designed and tested by the entire SWORKz team, this buggy represents a true evolutionary step.

A modern racing buggy must offer:

- Extensive setup possibilities for professional drivers
 - A reliable base setup that works on most tracks for hobby racers
- The SWORKz S35-5 perfectly fulfills both requirements.

Welcome to SWORKz

Congratulations on purchasing the SWORKz S35-5 1/8-scale off-road racing buggy Pro Kit, and thank you for trusting SWORKz.

Please read this manual carefully before building and driving your S35-5. It contains step-by-step instructions to help you assemble, prepare, and fine-tune your buggy for racing. Updates, setups, and product news are shared regularly across all SWORKz digital media platforms.

If you have any questions or need assistance, please contact your official SWORKz dealers or distributors at any time.

S35-5 Kit Features:

- T7075 Hard Anodized, Lightened Aluminum Chassis (New)
- Short Kit Chassis Design (New)
- Carbon Plate Style Radio Tray (New)
- Quick Diff release Gearbox System (New)
- Adjustable Diff and Pinion Gear Height System (New)
- Ball Bearing guided Sway Bar System (New)
- Double line Shock Towers positions (New)
- Samurai Competition Shock Springs (New)
- Teflon Coated Durable Shock Shafts
- SWORKz 1/8 BBS Precision Plastic Shock Piston
- Fixed Shock Spring Holder (New)
- AL7075 Aluminum Ackerman Steering Plate (+5) (New)
- Savor Servo Steering System
- Steering Knuckle Plates
- Updated Toe In Plates with Square Inserts (New)
- Aluminum Intensity F/F and R/F Narrow Lower Suspension Plate (New)
- Carbon Center Diff Plate with Throttle Servo Linkage System
- Nitro Series Center Brake Disk Holder
- Lightweight Wing Mount
- Lower Arm Plastic Covers (New)
- Composite Rear Hubs with Carbon Plates
- Anticlock Screws for Shocks
- Aerodynamically Optimized Falcon ST-5 Body Shell (New)
- 3 HET Differentials Included
- 2 Front Chassis Braces Included
- More Balance Weight Positions
- Optimized Composite Material
- Aluminium Parts in T7075



Specification	
Length:	510mm
Width:	308mm
Height:	220mm
Ground Clearance:	65mm
Wheelbase:	325-330mm
Track:	F:304mm / R:306mm
Gear Ratio:	C:47/13T, F/R 43/13T
Weight:	3400g (Race condition)

WARRANTY

Your SWORKz S35-5 kit warranty covers workmanship and manufacturing defects of the original and unmodified parts. Warranty claims resulting from crashes, abuse, improper operation, improper mounting, improper adjustment or lack of maintenance will not be honored.

Contact your local hobby shop or SWORKz distributor for all claims and questions. Claims must be well documented. All Claims are subject to expert examination approval by SWORKz.



Instruction	2
Warranty	3
Required Equipment for Operation	5
Operation Guide	6
Assembly Steps	7-36
Set-up Sheet	37-39
S35-5 Part No. List	40-41
S35-5 Spare Part No. List	41-42
S35-5 Option Part No. List	43
End cover	44




This radio controlled racing car is not a toy!

This high-performance R/C model is recommended for ages 14 and older.

Required Equipment for Operation

Radio Gear




Nitro fuel

We recommend that you use on-road fuel containing 16~25% nitro.



Engine Recommended




SP-80213HP
Spower Japan B7HP
SOUL II Factory
Hand-Made
Modified .21 OffRoad
Racing Engine (Pre-
Break-in)

SP-80211SP
Spower Japan B7TT
SPEED Factory
Tuned .21 Racing
Engine (Made by O.S.
Japan)

SP-80113
Spower Japan Mk II EFRA
2089 Tuned Pipe
(Made by O.S. Japan)

SP-80119C
SPower Speed Off Road
Exhaust Tuned Pipe
MK2194 with 75mm
Manifold Set (Made in
Taiwan)




Engine Starting Equipment




SW-830001
SPower ST-3 Turbo
Plug (Made in Japan)

SP-80601
SPower ST-4 Turbo Plug
(Super Hot)(Made in
Japan)




BB30
SWORKz
1/8 OFF ROAD STARTER BOX (BUGGY TYPE)


Tools Recommended



SW-620020-15 SWORKz SST-Pro 1.5mm HEX Wrench



SW-620020-20 SWORKz SST-Pro 2.0mm HEX Wrench



SW-620020-25 SWORKz SST-Pro 2.5mm HEX Wrench




SW-620025 SWORKz SST-Pro Shorty 7.0mm Socket Driver




SW-620026 SWORKz SST-Pro Shorty 5.5mm Socket Driver


Long nose pliers



Side cutter




Curved scissors




Paint




Modeling knife



Instant cement




Thread lock




Double-sided tape




Included items



Glow plug wrench




Grease



Operation Guide



Assemble front and rear



Assemble in the specified order



Assemble both left and right sides



Assemble for 2 sets



Assemble for 4 sets




overturn



Thread Locking Compound



Grease



Pure Silicone Oil



Air filter oil

Safety Precautions

The SWORKz S35-5 is a high performance radio control model which needs to be operated with caution and common sense.

The S35-5 Kit is not intended for children under the age of 14 without adult supervision. SWORKz shall not be held liable for any loss or damages, whether direct, indirect, act of nature, arising from the abuse or misuse of this product or any other product required while operating this model.

- The nitro fuel can be dangerous is improperly handled.
- Always keep your nitro fuel in a cool area and never use near flame, sparks, or while smoking.
- Keep your nitro fuel, and all other flammables, out of the reach of children.
- Always run your model in a well ventilated area outdoors. Never run your model indoors.
- After running your car, all parts of the engine and exhaust can become extremely hot. Be careful not to touch these parts especially when refueling, or making repairs.
- This model is controlled by your radio controller and is sometimes vulnerable to interference from many outside sources. This interference can cause a loss of control so it is necessary to operate this model in an open area to avoid personal, or property damage. Always ensure turning on your radio first.
- Keep all the parts included in the package out of reach of children.
- This model contains many fast rotating parts. Never touch them during operation.
- Follow the instructions included with your radio gear.
- Never operate your model near people or property. The speed of this model has the potential to injure and or damage people and or property.
- Always use original SWORKz spare parts and option parts.
- Always ensure that the buggy is in proper working condition before use.

BAG B

1

F R


x2



330015
Pin M2.2x9.9mm x4



400002
O-ring S5 4.8X1.5 x4




101027
Washer 5x14x0.5 x2



101039
Washer 5x12x0.3 x2



116006R
Ball Bearing 8x16x5mm (Red Rubber Case) x4



Pro Tip:
Using big washer 101027 5x14x0.5mm
for the crown gear side.
Using small washer 101039 5x12x0.3mm
for the diff. case side.

Remember to apply a light coat of
grease to the o-ring, then slide it over
the shaft of the out drive and seat it in
the diff case.
Insert the pin through the hole in the
diff case and through the hole in the
shaft of the out drive.


2

F R

x2




108001
M3x12mm FH/ST HEX Screw x8



338025
S35-3W Bevel Gear Shaft x4



101004
Washer 3.5X10X0.2mm x8



OK!

NG!

Fill the differentials
with oil up to 80%
above the satellite
gears.
Put the SWORKz
Diff. Oil 15000cps
for the front Diff.
and 7000cps for the
rear Diff.

Remember to apply a very light coat of grease to the o-ring, then slide it over the shaft of the out drive and seat it in the diff case. Insert the pin through the hole in the diff case and through the hole in the shaft of the out drive.

4

[illegible]

Fill the differentials with oil up to 80% above the satellite gears. Put the SWORKz Diff. Oil 15000cps for the center Diff.

Before going to STEP 5 Front Gear Box assembly, please read the following Gear Box Eccentric Informational first.

How does changing the diff height effect your car:

Increasing the differential height increases the car's roll stiffness, although it reduces its ability to absorb bumps effectively.

A higher differential height is also recommended when lowering the chassis ride height to approximately

17–18 mm at the front and 22–23 mm at the rear, as it improves forward traction.

Reducing the differential height allows the car to roll more, making its handling smoother and more forgiving. It also improves performance on bumpy tracks, although it slightly reduces rear-end support.

How to install pinion gear inserts and diff height inserts:

1. Make sure that you are using the correct pinion gear inserts for front and rear. The inserts are marked with F or R to show to which end they belong. Some inserts show a F and R what mean that they can be used for Front and Rear. Make sure to install them in the correct way for the specific height -> like shown on the garfics in the manual.

2. Make sure to use the correct diff inserts. There are two different insert types for 3 diff heights in total. The 1.5mm inserts are for the center position and don't have any top or bottom side.

The 0/3 inserts are for the low and high positions. Make sure to place the correct side up or down to match your pinion gear height. If the 0/3 mark is placed on top, your diff will be in the low position while placing the 0/3 mark on bottom, your diff will be in the high position.

3. Please double check the insert garfics for front and rear end.

It shows if your pinion gear inserts and diff inserts are matching together for the specific height which you wanna race. Also you can check, how you need to position the inserts correctly.


How to change pinion gear inserts and diff height inserts:

For maximum stability and reliability, our gearbox is designed very precisely and tight to reduce any kind of play to offer a long lifetime for pinion gear and crown gear. Therefore, the space to take out and put in the diff is very limited and you need to follow a specific way to take out / put in your diff.

Put in your diff -> Hold your diff in front of the gearbox with the inserts being vertically positioned. Then turn the diff inserts by 45 degree to the front and place the diff into the gearbox and push it carefully down. The diff will slide down the gearbox into his final position. After sliding down the diff, turn the diff inserts backwards by 45 degree to position them vertically again. Your diff and diff inserts have reached the final position and you can close the gearbox with the gearbox cover.

Put out your diff -> Turn the diff inserts by 45 degree to the front. Then you can pull the diff out. Pull it out in the same direction as it slid into the gearbox before.

Gear Box Eccentric Info.




Front Gear Box Eccentric Info.

A _{UP} ↑ 0-0		
B _{UP} ↑ 1.5-1.5		
C _{UP} ↑ 3.0-3.0		

Rear Gear Box Eccentric Info.

A _{UP} ↑ 0-0		
B _{UP} ↑ 1.5-1.5		
C _{UP} ↑ 3.0-3.0		



Note:

The aluminum front lower arm holder (338059) can offer 0° or 1° kick-up for your front lower suspension. You may use the inserts 228001DG (#10) kick-up or 228001DG (#9) to get 1° for your front lower suspension.

Pro Tip:

Before installing the M5x4 set screw (104010), remember to clean the set screw and center driver joint (330661A) first. Then apply TLC on the set screw.



106020
M2.5x5mm Hex Socket OH/TP Screw **x4**



106002
M3x10mm Hex Scket OH/TP Screw **x10**



108005
M3x14mm FH/ST HEX Screw **x4**




104010
M5x4mm Set Screw (Flat Bottom) **x2**



116019R
Ball Bearing 5x13x4mm (Red Rubber Case) **x4**



338011
S35 series Pinion Gear Stopper (5x7x5.1mm) **x2**




101018
SHIM 13x16x0.2mm **x4**

Front Gear Box Eccentric Info.


A↑

0-0




B↑

1.5-1.5




C↑

3.0-3.0



Apply a light coat of grease to the crown gear before assembly the gear box.



Note:

101018SHIM 13x16x0.2mm

Please use 13x16x0.2mm shims to adjust the play between the crown gear and pinion gear. Standard suggestion is 1pc shim on the diff crown gear side and 1 pcs on the other side.



Pro Tip:
Before installing the M5x4 set screw (104010), remember to clean the set screw and center driver joint (330661A) first.
Then apply TLC on the set screw.

Note:
101018SHIM 13x16x0.2mm
Please use 13x16x0.2mm shims to
adjust the play between the crown gear
and pinion gear. Standard suggestion is
1pc shim on the diff crown gear side
and 1 pcs on the other side.

Apply a light coat of grease to the crown gear before assembly the gear box.

Rear Gear Box Eccentric Info.			
A _{UP} ↑	0-0		
B _{UP} ↑	1.5-1.5		
C _{UP} ↑	3.0-3.0		

E1



x2




330664 *SWORKz 1/10 Linkage Ball Stud D5.5mm x L10mm* **x2**



106003
M3x16mm Hex Scket OH/TP Screw **x2**



106021A
M4x10mm Hex Socket OH/TP Screw **X2**



Pro Tip:
Use a drop of CA glue at the arm holes to make sure that the plastic arm covers are seated securely.

OPTION:

SW-228005S-F S35-4 Series Front Lower Arm in Soft Material (1PC)
SW-228005M-F S35-4 Series Front Lower Arm in Medium Material (1PC)



108005

M3x14mm FH/ST HEX Screw

x2

228001DG #5 #6 #7

101020A

108005

338056

338056

228001DG #5 #6 #7

108005

101020A

338140

338056


S35-4 Series Lower Arm Hinge Pin (68.5mm)

x2

9

1 2
3**OPTION:**

SW-339023-2.2 SWORKz S35-5/e/GT FTE Series Sway Bar Adjust Stud(2.2mm)(2PC)
SW-339023-2.5 SWORKz S35-5/e/GT FTE Series Sway Bar Adjust Stud(2.5mm)(2PC)
SW-339023-2.8 SWORKz S35-5/e/GT FTE Series Sway Bar Adjust Stud(2.8mm)(2PC)

**Note:**

When tight the 104005 set screws, the 339008-2.5 must be on same position.
Please set up the 339008-2.5 on the sway bar mark position.



104005

M3x4mm Set Screw

x4

OPTION:

SW-339008-2.2 SWORKz S35-5/e/GT FTE Series Sway Bar Holder (2.2mm)(RD)(2PC)
SW-339008-2.8 SWORKz S35-5/e/GT FTE Series Sway Bar Holder (2.8mm)(RD)(2PC)

OPTION:

SW-118005-2.0 SWORKz S35-5 Series Front Sway Bar 2.0mm
SW-118005-2.1 SWORKz S35-5 Series Front Sway Bar 2.1mm
SW-118005-2.4 SWORKz S35-5 Series Front Sway Bar 2.4mm
SW-118005-2.5 SWORKz S35-5 Series Front Sway Bar 2.5mm
SW-118005-2.6 SWORKz S35-5 Series Front Sway Bar 2.6mm
SW-118005-2.7 SWORKz S35-5 Series Front Sway Bar 2.7mm
SW-118005-2.8 SWORKz S35-5 Series Front Sway Bar 2.8mm

104005

TLC

118005-2.2 or 118005-2.3

116009

1

339008-2.5

339023

2

104005


TLC

228026



106013

M2.5x8mm Hex Socket OH/TPScrew x4



106003

106003

228030

11



108006

M3x8mm FH/ST HEX Screw x2




108003

M3x10mm FH/ST HEX Screw x2



106002

M3x10mm Hex Socket OH/TP Screw x1



228006B

108006

108006

348016

338057A

106002

228001DG #11 #12 #13

108003

Note:

The aluminum front upper arm holder (338057A) can offer either 0° or + -1° kick-up for your front upper arm suspension.

You may use the inserts 228001DG (#13) to get 0° kick-up or 228001DG (#12) to get + -1° for your front upper suspension.

330119
Front Upper Arm HingPin x2




106020
M2.5x5mm Hex Socket OH/TP Screw x10



106015
M3x5mm Hex Socket OH/TP Screw x2



108001
M3x12mm
FH/ST HEX Screw x4



Note:
2503260-1
S35-3 Front Upper Arm Adjust Insert (0.9mm)
2503260-2
S35-3 Front Upper Arm Adjust Insert (1.0mm)
2503260-3
S35-3 Front Upper Arm Adjust Insert (1.1mm)
2503260-4
S35-3 Front Upper Arm Adjust Insert (2.0mm)



103004
M2.5mm Nut Lock x4



330664
Linkage Ball Stud D5.5mm x L10mm) x2



106003
M3x16mm Hex Scket OH/TP Screw x2




106021A
M4x10mm Hex Socket OH/TP Screw x2



106022
M2.5x14mm Hex Scket OH/TP Screw x4

13 L R x2

Pro Tip:
Use a drop of CA glue at the arm holes
to make sure that the plastic arm covers
are sitted securely.



OPTION:

SW-228024H
SWORKz S35 Series
LCD Front Upper Arms
with Done Force Wings in
Hard Material

OPTION:

348003-10
SWORKz S35-4 Series Pro-composite Carbon Arched-Bridge-System Rear Lower Arm
Cover(1.0mm)(2PC) 348003-15
SWORKz S35-4 Series Pro-composite Carbon Arched-Bridge-System Rear Lower Arm
Cover(1.5mm)(2PC) 348003-20
SWORKz S35-4 Series Pro-composite Carbon Arched-Bridge-System Rear Lower Arm
Cover(2.0mm)(2PC)

OPTION:


228015S SWORKz
S35-4 Series Arched-Bridge-System Rear Lower Arm
Set (Soft)(1PC) 228015M SWORKz
S35-4 Series Arched-Bridge-System Rear Lower Arm
Set (Medium)(1PC) 228015U SWORKz
S35-4 Series Arched-Bridge-System Rear Lower Arm
Set (Ultra-Hard)(1PC)



106002
M3x10mm Hex Socket OH/TP Screw x1



108001
M3x12mm FH/ST HEX Screw x6




15



108005
M3x14mm FH/ST HEX Screw x2

338056
S35-4 Series Lower Arm Hinge Pin (68.5mm) x2



PRO TIP:

The S35-5 uminum Rear Lower Fully Adjustable Toe-In Block (338139) can use 3 types of square inserts to get 1.0/2.0/3.0 3 different toe in angles. Also plus 3 different rear lower arm kick up degrees.

OPTION:

SW-338139-3.5
S35-5 Series AL7075 Aluminum Rear Lower Fully Adjustable Toe-In Block(3.5 degree)

PRO TIP:

228001DG-2 S35-4 Series Rear Lower Arm Holder Square Insert (+1/+1)
228001DG-3 S35-4 Series Rear Lower Arm Holder Square Insert (0/+1)
228001DG-4 S35-4 Series Rear Lower Arm Holder Square Insert (0)

OPTION:

SW-339023-2.5 SWORKz S35-5/e/GT FTE Series
Sway Bar Adjust Stud(2.5mm)(2PC)
SW-339023-2.8 SWORKz S35-5/e/GT FTE Series
Sway Bar Adjust Stud(2.8mm)(2PC)
SW-339023-3.0 SWORKz S35-5/e/GT FTE Series
Sway Bar Adjust Stud(3.0mm)(2PC)

OPTION:


SW-339008-2.5 SWORKz S35-5/e/GT FTE Series Sway
Bar Holder (2.5mm)(RD)(2PC)
SW-339008-2.8 SWORKz S35-5/e/GT FTE Series Sway
Bar Holder (2.8mm)(RD)(2PC)

**104005**

M3x4mm Set Screw x4

Note:


When tight the 104004 set screws, the 339008-3 must be on same position. Please set up the 339008-2.5 on the sway bar mark position.

**OPTION:**

118006-2.4 SWORKz S35-5 Series Rear Sway Bar 2.4mm
118006-2.5 SWORKz S35-5 Series Rear Sway Bar 2.5mm
118006-2.7 SWORKz S35-5 Series Rear Sway Bar 2.7mm
118006-3.0 SWORKz S35-5 Series Rear Sway Bar 3.0mm

**106013**

M2.5x8mm Hex Socket OH/TPScrew x4



BAG E2 18



116004R
Ball Bearing 6x10x3mm (Red Rubber Case) x2



117003
Flange Ball Bearing 3x6x2.5mm x4



101034
M3x5xT0.1mm x4



101012
M3x6xT0.6mm x2




103001
M3mm Nut Lock x2



105018
M2x6mm Cap Screw x1



106007
M3x12mm Hex Socket OH/TP Screw(HT) x2



116004R

338123

228017

338126

101018

118003H

105018

338043

PRO TIP:

For some track corner conditions, you may need a big steering angle, there is an option part SW-338142P will give you the solution.

BAG E2 19




108003
M3x10mm FH/ST HEX Screw x2



101019
SHIM 6.0x10.0x0.2mm x1



116004R
Ball Bearing 6x10x3mm (Red Rubber Case) x2



108003

101019

116004R


338048

116004R


338048




106002
M3x10mm Hex Socket OH/TP Screw **x4**



338122L
S35/S350/Apollo Series
Lightened Steering Knuckle
Pivot Ball Turnbuckle (Anti-Clockwise) **x2**



338122R
S35/S350/Apollo Series
Lightened Steering Knuckle
Pivot Ball Turnbuckle (Clockwise) **x2**



Right

338122R (Clockwise)

338122L (Anti-clockwise)

2503260-04

330118A

348005

Left

2503264A

338122L (Anti-clockwise)

2503260-04


Screw and adjust 330118A Knuckle Pivot Ball Nut so as the pivot ball can be moved smoothly.




116006R
Ball Bearing 8x16x5mm (Red Rubber Case) **x4**




104010
M5x4mm Set Screw (Flat Bottom) **x2**



330124
Pin M3.0x16.8mm **x2**



101018
SHIM 13x16x0.2mm **x2**




Left

OPTION:

SWC-218007A
S35 Series Evolution-CVA Drive Shaft
Set 92.5mm (1 Set)

SWC-218007D
S35 Series Advance-CVD Drive Shaft
Set 92.5mm (1 Set)



Right

330124

338080

116006R

101018

104010


116006R

210046

Note:

101018SHIM 13x16x0.2mm

Please use 13x16x0.2mm shims to adjust the gap between the wheel hub and wheel knuckles. Standard suggestion is 1pc shim on the outside between 8x16x5mm ball bearing and knuckle. If the wheel hub still has big play with knuckle, please try to put another shim in another side between ball bearing and knuckle.



104010
M5x4mm Set Screw (Flat Bottom) x2



330124
Pin M3.0x16.8mm x2




116006R
Ball Bearing 8x16x5mm (Red Rubber Case) x4



106009
M3x25mm Hex Socket OH/TP Screw x4



103001
M3 Nut Lock x4




101018
SHIM 13x16x0.2mm x2

OPTION:

SWC-218007A
S35 Series Evolution-CVA Drive Shaft
Set 92.5mm (1 Set)


SWC-218007D
S35 Series Advance-CVD Drive Shaft
Set 92.5mm (1 Set)



Left

OPTION:

SW-338075
S35-4 Series T7
Aluminum Rear
Wheel Hub With
BB Insert (R=L)
(1PC)



PRO TIP:


The new multi adjustable rear hub can be set to a wider or a narrow configuration using the inserts 228001DG (#17 #18)

PRO TIP:

The base set up is always by using 2-3mm inserts on the rear of Hub Carriers Hinge Pins.
The wheel base length should be around 325-330mm.



103001
M3 Nut Lock x2



330782
Rear Hub Carriers Hinge Pin with Nut x2


330782

103001

2503261 #5 #6 #7



338146
Rear Upper Sus. Arm Turnbuckles x2



338070B

2501121C

338146


330125

2501121C

1:1

Longer Upper Arm Linkage Set-up

16.25 mm

**PRO TIP:**

The Shorty Upper Arm Linkage Set-up is good using for low grip condition.

The Longer Upper Arm Linkage Set-up is good using for high grip condition.



105012
M3x10mm Cap Screw x2



106009
M3x25mm Hex Scket OH/TP Screw x2



103001
M3mm Nut Lock x2

106009

105012

228001DG

103001

Longer Upper Arm Linkage Set-up



103001
M3mm Nut Lock x4



108019
M2.6x6mm FH/ST HEX Screw x2



106003
M3x16mm Hex Scket OH/TP Screw x4

103001

103001

228003A

228003A

228003A #3

108019

228003A #3

228003A

106003

OPTION:

228003A(#3) S35 Series Integrated Wing Mount Spacer (0 Degree)
228003A(#4) S35 Series Integrated Wing Mount Spacer (1 Degree)
228003A(#5) S35 Series Integrated Wing Mount Spacer (2 Degree)



106007
M3x12mm Hex Socket OH/TP Screw(HT) x4




104004
M3x3mm Set Screw x2



108006
M3x8mm FH/ST HEX Screw x4



116009
Ball Bearing M5x8x2.5mm x2




106009
M3x25mm Hex Socket OH/TP Screw x4



108007
M3x6mm FH/ST HEX Screw x2

OPTION:

SWC-339033SP-32 SWORKz Performance
Competition Cooling Brake Disc (32mm)
SWC-339033SP-30 SWORKz Performance
Competition Cooling Brake Disc (30mm)






108007
M3x6mm FH/ST HEX Screw x10

OPTION:

SWC-338143SP SWORKz Performance
S35-5 Series AL7075 Aluminum Lightened
Longer Main Chassis (Shaft 115mm)



108006
M3x8mm FH/ST HEX Screw x2




108010
M4x10mm FH/ST HEX Screw x2



108011
M4x12mm FH/ST HEX Screw x4



108021
M3x18mm FH/ST HEX Screw x2






108003
M3x10mm FH/ST HEX Screw x3



108010
M4x10mm FH/ST HEX Screw x4



OPTION:

SW-2501529BH SWORKz S35/S350 Series
Plastic Chassis Brace Set 2.0 (Hard Material)



108003
M3x10mm FH/ST HEX Screw x2



108007
M3x6mm FH/ST HEX Screw x2



108011
M4x12mm FH/ST HEX Screw x4




108021
M3x18mm FH/ST HEX Screw x2



106006
M3x20mm Hex Scket OH/TP Screw x1



103001
M3xNut Lock x1






106007
M3x12mm Hex Socket OH/TP Screw(HT) x8



108007
M3x6mm FH/ST HEX Screw x5

Servos are not included in the kit.



103001
M3mm Nut Lock x3



106002
M3x10mm Hex Scket OH/TP Screw x3




106020
M2.5x5mm Hex Socket OH/TP Screw x2

35

Receiver and switch are not included in the kit.


The switch is not included in the kit.





106010

M3x6mm Hex Scket OH/TP Screw x4



106001


M3x10mm Hex Scket OH/TP Screw x4



104004


M3x3mm Set Screw x1

Battery is not included in the kit.





108006
M3x8mm FH/ST HEX Screw x8



OPTION:

SW-338078-25 SWORKz Uni-Design 2-Way System Aluminum Steering Servo Horn 25T
SW-338078-23 SWORKz Uni-Design 2-Way System Aluminum Steering Servo Horn 23T




106007
M3x12mm Hex Socket OH/TP Screw (HT) x1



330155
Steering Servo Turnbuckle (M3x30mm) x1






103001
M3mm Nut Lock x1



BAG**G****40****x2**

330126A
Steering Turnbuckle **x2**

**Right****2501121C****330779T-ST****330126A****330779T-ST****2501121C****Steering Linkage Set up by Curve Ball Ends****17.0mm****41****x2**


101026
S102 Aluminum Washer 3X6X1.5mm **x6**



106002
M3x10mm Hex Soket OH/TP Screw **x2**



106008
M3x12mm Hex Soket OH/TP Screw **x2**

106002**101026****106008**




103001
M3 Nut Lock x1



105001
M3x10mm Cap Screw x1



106007
M3x12mm Hex Socket OH/TP Screw(HT) x1






105004
M2.6x6mm Cap Screw x3



108006
M3x8mm FH/ST HEX Screw x2




106002
M3x10mm Hex Socket OH/TP Screw x2





108003

M3x10mm FH/ST HEX Screw x2




105005

M3x12mm Cap Screw x4



101013

3mm Spring Washer x4





105001
M3x8mm Cap Screw x1




101012
M3x6xT0.6mm x1




101015
M5x8xT0.4mm x5



116010R
Ball Bearing 5x10x4mm x2




105025
M4x8mm Durable Thin I-Head Type Screw x4



108013
M4x8mm FH/ST HEX Screw x1



104011
M4x4mm Set Screw (Flat Bottom) x2



210018
Throttle Rod 50mm x1



104004
M3x3mm Set Screw x2




106002
M3x10mm Hex Socket OH/TP Screw x1



106007
M3x12mm Hex Socket OH/TP Screw (HT) x1




106020
M2.5x5mm Hex Socket OH/TP Screw x3



338131
S35 Nitro Series Adjustable Break Turnbuckle (M2.5x60mm) x2



210018
Throttle Rod Spring x1



104004
M3x3mm Set Screw x2



330156A
Adjuster Knob x4



210018
Brake Spring x2



103001
M3 Nut Lock x1



104002
M3x10mm Set Screw x1





330299
SWORKz 1/10 Linkage Ball Stud (D5mm x L7mm) x2



OPTION:


SW-338079-25 SWORKz Uni-Design Aluminum Throttle Servo Horn 25T
SW-338079-23 SWORKz Uni-Design Aluminum Throttle Servo Horn 23T



※ Turn on the transmitter and receiver. Set the throttle servo trim in neutral. Adjust the idle adjustment screw to make the carburettor opening no more than 1mm. Adjust the position of servo horn. Check that it operates smoothly without making the operation of the other parts difficult. Make sure the brake does not work in this setting.


※ Adjust the servo horn to fully open the carburettor. Change the position of servo horn if the carburettor is not fully open or opens too much. If your transmitter has a function to adjust throttle end points, make an adjustment this way.

※ Adjust the position of servo horn to make the brakes function. Make sure the brakes do not work when the servo trim is in neutral.



338062B

S35-5/e Series BBS System Teflon Coated Durable Shock Shaft (L) x2 400020



338063B

S35-5/e Series BBS System Teflon Coated Durable Shock Shaft (S) x2



103004

M2.5mm Nut Lock x4



228016-Seal

Shock Seal Washer 3.5X7X1.0mm x4



228016-Seal

Shock Seal Washer 3.6X7X2.5mm x8



101046

M2.6x6xT0.6mm x4




400038

Shock Seal O-Ring x8



400020

Shock Seal O-Ring x4



400019


Shock Spring Adjust Nut O-Ring x4



108029

M2.0x4.6mm FH/ST HEX Screw (1.5mm HexHead) x4

Standard bladder shock cap assembly note



Slowly push the shock shaft to the end of shock cap. Then tight screw M2x4mm




118007-4

SWORKz S35-5 Series Samurai Competition Front Shock Spring (SS-4Dot)(68X1.4X6.75)



118008-3

SWORKz S35-5 Series Samurai Competition Rear Shock Spring (SL-3Dot)(83X1.5X10.0)



Front SW-118007-4 Rear SW-118008-3




105005
M3X12mm Cap Screw x2




105022
M3X16mm Cap Screw x2


Rear




Front



Front






105021
M3x6mm Conical Head Screw x4



330243
SWORKz 3x16mm Shock Hex Screw Clockwise x4

Rear







58



103001
M3xNut Lock x2



105005
M3X12mm Cap Screw x2



39mm




PRO TIP:

Attention!
Please do not follow the wing hole markings to drill. Please drill both holes 0.5mm inwards.


59



330122A
Wheel Nut x4




60



258005C-N

Use body scissors to cut a hole to fit your exhaust pipe.


61



62



106010
M3x6mm Hex Scket OH/TP Screw x1



Race time / Lap: _____

Best lap: _____

Name: SWORKZ S35-5

Date: 2026

Track: Basic Setup

Diff. Oil

Front: #15000

Center: #15000

Rear: #7000

Track Conditions

Size: ☐ Open ☒ Med. ☐ Tight
Traction: ☐ High ☒ Med. ☐ Low
Surface: ☐ Smooth ☒ Med. ☐ Bumpy

Tire

Front Type: Option Rear Type: Option
Foam: Option Foam: Option




Engine

Type: Option Muffler: Option
Gasket: Option mm Fuel: Option
Plug: Option




Clutch

Clutch shoes: Kit Aluminum
Spring: Kit 3 x 1.0mm mm
Clutch bell / Spur gear: 13/47

Front Suspension




Rear Suspension



Option Parts List

Front Upper Arm


☐ Hard ☒ Soft



Carbon Cover 1.0 mm

Front Lower Arm


☐ Ultra Hard ☒ Hard ☐ Medium ☐ Soft



Carbon Cover 0 mm

Rear Lower Arm (228015)

☐ Ultra Hard ☒ Hard ☐ Medium ☐ Soft



Carbon Cover 0 mm

Race time / Lap: _____

Best lap: _____

Name: _____
Date: _____
Track: _____

Diff. Oil
Front: _____
Center: _____
Rear: _____




Track Conditions
Size: ☐ Open ☐ Med. ☐ Tight
Traction: ☐ High ☐ Med. ☐ Low
Surface: ☐ Smooth ☐ Med. ☐ Bumpy

Tire
Front Type: _____
Rear Type: _____
Foam: _____





Engine
Type: _____ Muffler: _____
Gasket: _____ mm Fuel: _____
Plug: _____

Clutch
Clutch shoes: _____
Spring: _____ mm
Clutch bell / Spur gear: _____




Front Suspension





Rear Suspension




Body: _____
Wing: _____



A ☐ Brass(15g) x _____
B ☐ Brass(15g) x _____
C ☐ Brass(15g) x _____



Option Parts List



Parts List

Part No.	Part Name	Q'ty in Use	Item No.	Part No.	Part Name	Q'ty in Use	Item No.
210091	S35-3W Plastic Front/Rear Big Bore Diff Case	2	SW-210091	338025	S35-3W Bevel Gear Shaft	6	SW-338025
210079A	S35-4 Plastic Center Big Bore HET Diff Case	1	SW-210079A	338027	S35-3W Front/Rear Diff. Outdrive	4	SW-338027
218039-PD90	SWORKz S35-5 Series Plastic Floating Fuel Filter System with 90 Degree Fuel Injectors Tank	1	SW-218039-PD90	338028	S35-3W Center Diff. Outdrive	2	SW-338028
2501124	S350 Center Diff. Mount Set	2	SW-2501124	338040	S35-4 Series Center Spur Gear for Big Diff. Bevel Gear Case (47T)	1	SW-338040
2501529B	SWORKz S35/S350 Series Plastic Chassis Brace Set 2.0 (Standard Material)	1	SW-2501529B	338043	S35-3/4 Series Servo Saver Nut with Screw Fixed	1	SW-338043
2501121C	S35/S350 Series Ball End Set with Shock Plastic Parts	2	SW-2501121C	338048	S35-4 Series Servo Saver Shaft	2	SW-338048
2501126	Air Filter Set	1	SW-2501126	338056	S35-4 Series Lower Arm Hinge Pin (68.5mm)	4	SW-338056
2502040-02	S350T Body Mount with Fuel Tank Ring-pull	1	SW-2502040-02	338057A	S35-4/e EVO Series T7 Aluminum Front Upper Arm Holder	1	SW-338057A
2503260	S353 Series Plastic Inserts Set	1	SW-2503260	338059	S35-4 Series T7 Aluminum Front Lower Arm Holder (FR)	1	SW-338059
2503264A	S35-3 Series Front Steering Knuckle (Type 2.0) L	1	SW-2503264A	338062B	SWORKz S35-5/e Series BBS System Teflon Coated Durable Shock Shaft (L)	2	SW-338062B
2280245	SWORKz S35 Series LCD Front Upper Arms with Done Force Wings in Standard Material	1	SW-2280245	338063B	SWORKz S35-5/e Series BBS System Teflon Coated Durable Shock Shaft (S)	2	SW-338063B
228001DG	S35-4 Series Plastic Inserts Set (Durable)(Gray)	2	SW-228001DG	338068	S35-4 Series T7 Aluminum Shock Stud (L)	2	SW-338068
228002-1	S35-4 Series Plastic Rear Wheel Hub (R=L)	2	SW-228002-1	338070B	S35 Series Rear Upper Sus. Arm Ball Stud (7.0mm Hex)	2	SW-338070B
228002-2	S35 Series Plastic Front Chassis Shorty Brace	1	SW-228002-2	338080	S35 Series Lightened Wheel Hub for 8mm Axil (L5.5mm)	4	SW-338080
228003A	S35 Series Integrated Wing Mount Set 2.0	1	SW-228003A	338122-L	S35/S350 Apollo Series Lightened Steering Knuckle Pivot Ball Turnbuckle (Anti-Clockwise)	2	SW-338122-L
228004A	S35-4 Series Plastic Side Guard Set with Stopper	1	SW-228004A	338122-R	S35/S350 Apollo Series Lightened Steering Knuckle Pivot Ball Turnbuckle (Clockwise)	2	SW-338122-R
228005H-F	S35-4 Series Front Lower Arm in Soft Material	2	SW-228005H-F	338123	S35-4/e EVO Series Servo Saver Post Lay-Down Type (Hard Coated)	1	SW-338123
228006B	SWORKz S35 Series Shock Spring End(H/Lock)/Body Mount/Ball Ends Set	2	SW-228006B	338126	S35-4/e EVO Series T7 Aluminum Setting Bellcrank Upper Part-A	1	SW-338126
228015H	SWORKz S35-4 Series Arched-Bridge-System Rear Lower Arm Set (Hard)	2	SW-228015H	338131	SWORKz S35 Nitro Series Adjustable Break Turnbuckle (M2.5x60mm)	2	SW-338131
228016-1.2-8	SWORKz 1/8 BBS Precision Plastic Shock Piston (1.2X8Holes)	2	SW-228016-1.2-8	338135	SWORKz S35-5 Series AL7075 Aluminum Front Shock Tower Double Line for High Capacity BBS Shock System (SBN)	1	SW-338135
228016-1.3-8	SWORKz 1/8 BBS Precision Plastic Shock Piston (1.3X8Holes)	2	SW-228016-1.3-8	338136	SWORKz S35-5 Series AL7075 Aluminum Rear Shock Tower Double Line for High Capacity BBS Shock System (SBN)	1	SW-338136
228016-Seal	SWORKz 1/8 BBS Precision Plastic Shock Seal Part 2	2	SW-228016-Seal	338137	SWORKz S35-5 Series AL7075 Rear Front Lower Suspension Plate (RF)(SBN)	1	SW-338137
228017	S35-4/e EVO Series Lay-Down Type Steering Bellcrank Set	1	SW-228017	338139	SWORKz S35-5 Series AL7075 Aluminum Rear Lower Fully Adjustable Tie-In Block (S degree)(R)(SBN)	1	SW-338139
228021	SWORKz 1/8 Steering and Throttle Servo Horn Set	1	SW-228021	338140	SWORKz S35-5 Series AL7075 Aluminum Front Lower Arm Plate (FF)(SBN)	1	SW-338140
228022ABK	SWORKz 1/8 Off Road Pro Race Wing (BK)(W/O Holes)	1	SW-228022ABK	338141	SWORKz S35-5 Series AL7075 Aluminum Rear Chassis Brace Mount (SBN)	1	SW-338141
228026	SWORKz Plastic Ball End Set (XS5.5mm/Sway Bar)	2	SW-228026	338142	SWORKz S35-5 Series AL7075 Aluminum Steering Plate (+S)	1	SW-338142
228030	SWORKz 1/8 S35-5 Series Gear Box Set with Adjustable-Diff-Position-System	2	SW-228030	338143-5	SWORKz S35-5 Series AL7075 Aluminum Lightened Main Chassis (Standard)(Shaft 112mm)	1	SW-338143-5
228031	SWORKz 1/8 S35-5 Series Adjustable-Diff-Position-System Inserts Set	2	SW-228031	338144	SWORKz S35-5 Series Lightened Emulsion/Bladder 2ways System Shock Cap 4	4	SW-338144
228032	SWORKz 1/8 S35-5 Series Adjustable-Pinion-Gear-Position Inserts Set	2	SW-228032	338146	SWORKz S35-5 Series Rear Upper Linkage Turnbuckle M5x42mm 2	2	SW-338146
228033	SWORKz 1/8 S35-5 Nitro Series Radio Tray Set	1	SW-228033	339008-3.0	SWORKz S35-GT FTE Series Sway Bar Holder (3.0mm)(RD)	2	SW-339008-3.0
228034	SWORKz 1/8 S35-4/5 Series Plastic F/R Lower Arm Cover Set	2	SW-228034	339008-2.5	SWORKz S35-GT FTE Series Sway Bar Holder (2.5mm)(RD)	2	SW-339008-2.5
228035	SWORKz 1/8 S35-5 Series Front Bumper	1	SW-228035	339023	SWORKz S35-GT2.2 FTE Series Sway Bar Adjust Stud	4	SW-339023
210046	S350 Series LDS Universal Cross Drive Shaft Set 92.5mm	4	SW-210046	348005	S35-4/e EVO Series Pro-composite Carbon Steering Knuckle Plate (L&R)	2	SW-348005
210043	S350 Professional Matel Brake Calipers 2.0 A Side	2	SW-210043	348006	S35-4 EVO Nitro Series Pro-composite Carbon Center Diff. Plate	1	SW-348006
210043	S350 Professional Matel Brake Calipers 2.0 B Side	2	SW-210043	348013	SWORKz S35 Series Pro-composite Carbon LCD Front Upper Arm Cover (1.2mm)	1	SW-348013
210018	Brake Spring	2	SW-210018	348016	SWORKz S35-5 Series Pro-composite Carbon Steering Bellcrank Plate	1	SW-348016
210018	Throttle Rod 50mm	1	SW-210018	348017	SWORKz S35-5 Series Pro-composite Carbon Radio Tray Servo Plate	1	SW-348017
210018	Throttle Rod Spring	1	SW-210018	348018	SWORKz S35-5 Series Pro-composite Carbon Rear Wheel Hub Adjust Plate (Extension)	4	SW-348018
210018	Brake Rod 60mm	2	SW-210018	410023	Air Filter Adapter	1	SW-410023
200193	Antenna Tube	1	SW-200193	420011	Fuel Tube	2	SW-420011
258005C-N	S35 Series Falcon ST-5 Clean Body Shell (Pre-Cut for Nitro Buggy)	1	SW-258005C-N	420010	Antenna Cup	1	SW-420010
320010	S35-3W Diff. Bevel Gear 10T	12	SW-320010	410038	Super Silicone Tube 2455x30mm (Transparent)	1	SW-410038
320009	S35-3W Diff. Bevel Gear 20T	6	SW-320009	400002	O-ring SS 4.8X1.5	6	SW-400002
328002L	SWORKz Tornado Clutch Shoes 2.0 (Linar RPM)	3	SW-328002L	400005	Shock Spring Adjust Nut O-Ring	4	SW-400005
330008A	SWORKz Tornado Fly Wheel Set (GM)	1	SW-330008A	400009	Shock Boot (L)	2	SW-400009
330008A	Tornado Fly Wheel Center Nut	1	SW-330008A	400010	Shock Boot (S)	2	SW-400010
330008A	Fly Wheel Collect	1	SW-330008A	400019	S350 New BBS System Shock Spring Adjust Nut O-Ring	4	SW-400019
330015	Pin M2.2x9.9mm	6	SW-330015	400020	S350 New BBS System Shock Seal O-Ring	4	SW-400020
330104	Brake Cam (S)	1	SW-330104	400023	S35 Series BBS System Seal O-Ring for Emulsion Shock Cap	4	SW-400023
330104	Brake Cam (L)	1	SW-330104	400024S	S35 Series BBS System Hex-Cell Shock Bladder(Soft)	4	SW-400024S
330104	Brake Cam	1	SW-330104	400038	SWORKz 1/8 Series 3.5mm Shaft X Shock System Seal O-ring	8	SW-400038
330100A	S350 Engine Mount (L) (HC)	1	SW-330100A	540003	CABLE STRAPS FOR AIRFILTER	2	SW-540003
330100A	S350 Engine Mount (R) (HC)	1	SW-330100A	518003	S35 Series Falcon ST-4 Clean Body Shell Window Mask	1	SW-258001CN
330117A	S350 Series Knuckle Pivot Ball Washer(GM)	2	SW-330117A	518001	S35-4 Body Decal Sheet	1	SW-258001CN
330118A	S350 Series Knuckle Pivot Ball Nut(GM)	4	SW-330118A	510080A	SWORKz 1/8 Off Road Formula Race Wing Decal	1	SW-228008BK
330140A	Pipe Holder(GM)	1	SW-330140A	510091	SWORKz Original Logo Sticker	1	SW-510091
330140A	Pipe Spring	1	SW-330140A	610019	S35-3 Series Servo Saver Spring Dusty Protect Sponge	1	SW-610019
330156A	Adjuster Knob(GM)	4	SW-330156A	610020B	SWORKz S35 Series HET Center Big Bore Diff. Pro Gasket	1	SW-610020B
330119	Front Upper Arm HingPin	2	SW-330119	610023B	SWORKz S35 Series HET F/R Big Bore Diff. Pro Gasket	2	SW-610023B
330122A	S350 Wheel Nut (HC)	4	SW-330122A	610025	SWORKz 1/8 Nitro Buggy High Density Air Filter Foam Set	1	SW-610025
330124	Pin M3.0x16.8mm	4	SW-330124	115003A	SWORKz Tornado Clutch Spring II (1.0mm)	3	SW-115003A
330125	Rear Upper Sus. Arm Ball Stud	4	SW-330125	115011AL	S35 Off Road Series Pipe Spring (Higher)	1	SW-115011AL
330126A	S350 EVO Steering Turnbuckle M4x40mm	2	SW-330126A	105012	M3x10mm Cap Screw	2	SW-115012
330134	Shock Ball Stud	12	SW-330134	115019	Body Clip	2	SW-115019
330136	Sway Bar Ball Stud	4	SW-330136	115098	Brake Pad Spring	4	SW-115098
330137	Clutch Bell 13T	1	SW-330137	116004R	Ball Bearing 6x10x3mm (Red Rubber Case)	4	SW-116004R
330138B	S350 EVO Aluminum Shock Cap Stud (-1.3mm)	4	SW-330138B	116006R	Ball Bearing 8x16x5mm (Red Rubber Case)	14	SW-116006R
330155	Steering Servo Turnbuckle (M3x30mm)	2	SW-330155	116009	Ball Bearing M5x8x2.5 ZZ	6	SW-116009
330243	SWORKz 3x16mm Shock Hex Screw Clockwise	2	SW-330243	116010R	Ball Bearing 5x10x4mm (Red Rubber Case)	2	SW-116010R
330244	SWORKz 3x16mm Shock Hex Screw Anti-Clockwise	2	SW-330243	116019R	Ball Bearing 5x13x4mm (Red Rubber Case)	4	SW-116019R
330299	S104 Steering Linkage Ball Stud 5mm	2	SW-330299	117003	Flange Ball Bearing 3x6x2.5mm	4	SW-117003
330557	S350 New BBS System Shock Seal Cap (GM)	4	SW-330557	118003H	S35-4 EVO series Servo Saver Spring(Hard)	1	SW-118003H
330560B	S35 New BBS System Shock Spring Adjust Nut (BK)	4	SW-330560B	118005-2.2	SWORKz S35-5 Series Front Sway Bar 2.2mm	1	SW-118005-2.2
330580C	S35 Nitro Series Competition Brake Disc	2	SWC-330580C	118005-2.3	SWORKz S35-5 Series Front Sway Bar 2.3mm	1	SW-118005-2.3
330633	S350 BBS System +5.6mm Shock Body L (HD)	2	SW-330633	118006-2.6	SWORKz S35-5 Series Rear Sway Bar 2.6mm	1	SW-118006-2.6
330634	S350 BBS System +5mm Shock Body S (HD)	2	SW-330634	118006-2.8	SWORKz S35-5 Series Rear Sway Bar 2.8mm	1	SW-118006-2.8
330647	S350 BBD Special Brake Cam	1	SWC-330647	118007-4	SWORKz S35-5 Series Samurai Competition Front Shock Spring (SS-4Dot)(68X1.4X6.75)	2	SW-118007-4
330661A	S35-T/S35 Series Competition Center Drive Join (5mm set screw)	2	SW-330661A	118008-3	SWORKz S35-5 Series Samurai Competition Rear Shock Spring (SL-3Dot)(83X1.5X10.0)	2	SW-118008-3
330663A-112	S35 Competition Steel F-Center Drive Shaft (ST-112mm)	1	SW-330663A-112	101004	Washer 3.5X10X0.2mm	12	SW-101004
330664	SWORKz 1/10 5mm Ball Stud (L10mm)	4	SW-330664	101010A	M3 Countersunk Washer(GM)	4	SW-101010A
330767A	S35-3 Series Steel F-Center Dive Shaft (88mm)	1	SW-330767	101012	M3x6xT0.6mm	2	SW-101012
330779T-ST	S35-4/e EVO Steering Linkage Steel Ball Stud 7mm (L6 Thread Type)	4	SW-330779T-ST	101013	3mm Spring Washer	4	SW-101013
330782	S35-3 Series Rear Hub Carriers Hinge Pin	2	SW-330782	101015	M5x8xT0.4mm	4	SW-101015
338011	S35 series Pinion Gear Stopper (5x7x5.1mm)	2	SW-338011	101016	M5x8xT0.8mm	1	SW-101016
338023	S35-3W Pinion Gear 13T	2	SW-338023	101018	SHIM 13x16x0.2mm	12	SW-101018
338024	S35-3W Crown Gear 43T	2	SW-338024	101019	SHIM 6.0x10.0x0.2mm	1	SW-101019

Spare Part List

Part No.	Part Name	Q'ty in Use	Item No.	Item No.	Part Name
101020A	S350 Sries 3mm Countersunk Washers (GM)	2	SW-101020A	SW-228001DG	S35-4 All Series Plastic Inserts Set (Durable)(Gray)(2 Sets)
101026	SWORKz Aluminum Washer 3X6X1.5mm	6	SW-101026	SW-228002-1	S35-4 Series Plastic Rear Wheel Hub (R=L)(2PC)
101027	S350 BBD Steel Washer 5X14X0.5mm	3	SW-101027	SW-228002-2	S35 Series Plastic Front Chassis Shorty Brace (1PC)
101034	M3x5xT0.2mm	4	SW-101034	SW-228003A	S35 Series Integrated Wing Mount Set 2.0
101039	Steel Washer 5x12x0.3mm	6	SW-101039	SW-228004A	S35-4 Series Plastic Side Guard Set with Stopper
101046	SWORKz Steel Washer M2.6x6xT0.6mm	4	SW-101046	SW-228005H-F	S35-4 Series Front Lower Arm in Hard Material (1PC)
103001	M3 Nut Lock	28	SW-103001	SW-228006B	SWORKz S35 Series Shock Spring End(H/Lock)/Body Mount/Ball Ends Set (2Set)
103003A	Flange M3 Nut Lock (GM)	5	SW-103003A	SW-228015H	SWORKz S35-4 Series Archd-Bridge-System Rear Lower Arm Set (Hard)(1PC)
103004	M2.5mm Nut Lock	8	SW-103004	SW-228016-1.2-8	SWORKz 1/8 BBS Precision Plastic Shock Piston(1.2X8Holes)(2PC)
103007	M3mm Nut Lock Thim (BK)	2	SW-103007	SW-228016-1.3-8	SWORKz 1/8 BBS Precision Plastic Shock Piston(1.3X8Holes)(2PC)
104002	Set Screw M3x10	1	SW-104002	SW-228016-Seal	SWORKz 1/8 BBS Precision Plastic Shock Seal Part (4 Sets)
104004	M3x3mm Set Screw	7	SW-104004	SW-228017	S35-4/e EVO Series Lay-Down Type Steering Bellcrank Set
104005	M3x4mm Set Screw	8	SW-104005	SW-228021	SWORKz 1/8 Steering and Throttle Servo Horn Set
104010	M5x4mm Set Screw (Flat Bottom)	6	SW-104010	SW-228022ABK	SWORKz 1/8 Off Road Pro Race Wing (BK)(W/o Holes)
104011	M4x4mm Set Screw (Flat Bottom)	1	SW-104011	SW-228024S	SWORKz S35 Series LCD Front Upper Arms with Done Force Wings in Standard Material
105001	M3x8mm Cap Screw	2	SW-105001	SW-228026	SWORKz Plastic Ball End Set (XSS.5mm/Sway Bar)
105004	M2.6x6mm Cap Screw	3	SW-105004	SW-228030	SWORKz 1/8 S35-5 Series Gear Box Set with Adjustable-Diff-Position-System
105005	M3x12mm Cap Screw	8	SW-105005	SW-228031	SWORKz 1/8 S35-5 Series Adjustable-Diff-Position-System Inserts Set (4PC)
105006A	M3x28mm Cap Screw full thread	2	SW-105006A	SW-228032	SWORKz 1/8 S35-5 Series Adjustable-Pinion-Gear-Position Inserts Set (4PC)
105013A	M3x25mm Cap Screw	2	SW-105013A	SW-228033	SWORKz 1/8 S35-5 Nitro Series Radio Tray Set
105018	M2x6mm Cap Head Screw	1	SW-105018	SW-228034	SWORKz 1/8 S35-4/5 Series Plastic F/R Lower Arm Cover Set
105021	M3x6mm Conical Head Screw	4	SW-105021	SW-228035	SWORKz 1/8 S35-5 Series Front Bumper(2PC)
105022	M3x16mm Cap Screw	2	SW-105022	SW-2501121C	S35/S350 Series Ball End Set with Shock Plastic Parts
105025	SWORKz M4x8mm Durable Thin I-Head Type Screw	4	SW-105025	SW-2501124	S350 Center Diff. Mount Set (2 Set)
106001	M3x8mm Hex Soket OH/TP Screw	3	SW-106001	SW-2501126	Ail Filter Set
106002	M3x10mm Hex Soket OH/TP Screw	22	SW-106002	SW-2501529B	SWORKz S35/S350 Series Plastic Chassis Brace Set 2.0 (Standard Material)
106003	M3x16mm Hex Soket OH/TP Screw	8	SW-106003	SW-2502040-02	S350T Body Mount with Fuel Tank Ring-pull
106006	M3x20mm Hex Soket OH/TP Screw	5	SW-106006	SW-2503260	S353 Series Plastic Inserts Set
106007	M3x12mm Hex Soket OH/TP Screw(HT)	9	SW-106007	SW-2503260-04	S35/S350 Series Plastic Knuckle Inserts Set
106008	M3x12mm Hex Soket OH/TP Screw	6	SW-106008	SW-2503264A	S35-3 Series Front Steering Knuckle (Type 2.0)
106009	M3x25mm Hex Soket OH/TP Screw	10	SW-106009	SW-258005CN	S35 Series Falcon ST-5 Clean Body Shell (Pre-Cut for Nitro Buggy)
106013	M2.5x8mm 1.5mmHex Soket OH/ST Screw	8	SW-106013	SW-200193	Antenna Tube
106015	M3x5mm Hex Soket OH/TP Screw	2	SW-106015	SW-210018	Throttl Linkage Set
106020	M2.5x5mm 1.5mmHex Soket OH/ST Screw	19	SW-106020	SW-210043	S350 Professional Matel Brake Calipers 2.0 Set
106022	M2.5x14mm Soket OH/ST Screw (1.5mmHex)	4	SW-106022	SW-210046	S350 Series LDS Universal Cross Drive Shaft Set 92.5mm (1pc)
106021A	S35 Series M4x10mm Hex Soket OH/TP Set Screw	4	SW-106021A	SW-210079A	S35-4 Plastic Center Big Bore HET Diff Case
108001	M3x12mm FH/ST HEX Screw	22	SW-108001	SW-210091	S35-3W Plastic Front/Rear Big Bore Diff Case
108003	M3x10mm FH/ST HEX Screw	15	SW-108003	SW-218039-PD90	S35-5 Series Plastic Floating Fuel Filter System with 90 Degree Fuel Injectors Tank
108005	M3x14mm FH/ST HEX Screw	10	SW-108005	SW-328001	S35-3/4 Series HET Diff. Bevel Gear Set
108006	M3x8mm FH/ST HEX Screw	24	SW-108006	SW-328002L	SWORKz Tornado Clutch Shoes 2.0 (Linar RPM)(3PC)
108007	M3x6mm FH/ST HEX Screw	19	SW-108007	SW-330008A	SWORKz Tornado Fly Wheel Set (GM)
108010	M4x10mm FH/ST HEX Screw	6	SW-108010	SW-330015	Pin M2.2x9.9mm
108011	M4x12mm FH/ST HEX Screw	8	SW-108011	SW-330100A	S350 Series Engine Mount Set (HC)
108013	M4x8mm FH/ST HEX Screw	1	SW-108013	SW-330104	Brake Cam Set
108019	M2.6x6mm FH/ST HEX Screw	2	SW-108019	SW-330117A	S350 Series Knuckle Pivot Ball Washer(GM)
108021	M3x18mm FH/ST HEX Screw	4	SW-108021	SW-330118A	S350 Series Knuckle Pivot Ball Nut(GM)
108029	M2.0x4.6mm FH/ST HEX Screw (1.5mm HexHead)	4	SW-108029	SW-330119	Front Upper Arm HingPin
				SW-330122A	S350 Wheel Nut (HC)
				SW-330124	Pin M3.0x16.8mm
				SW-330125	Rear Upper Sus. Arm Ball Stud
				SW-330126A	S350 EVO Steering Tumbuckle M4x40mm
				SW-330134	Shock Ball Stud 6mmxL6.7
				SW-330136	Sway Bar Ball Stud
				SW-330137	Clutch Bell 13T
				SW-330138B	S350 Series Aluminum Shock Cap Stud (-1.3mm)(2PC)
				SW-330140A	S350 SeriesPipe Holder(GM)
				SW-330155	Steering Servo Tumbuckle (M3x30mm)
				SW-330156A	S350 Series Adjuster Knob (Included Brake Adjuster Knob)(GM)
				SW-330243	SWORKz 3x18mm Shock Hex Screw Set (Anti-Clockwise)
				SW-330299	S104 Steering Linkage Ball Stud 5mm (4pc)
				SW-330557	S350 New BBS System Shock Seal Cap (GM)
				SW-330560B	S35 New BBS System Shock Spring Adjust Nut (BK)
				SWC-330580C	S35 Nitro Series Competition Soltted Brake Disc
				SW-330633	S350 BBS System +5.6mm Shock Body L
				SW-330634	S350 BBS System +5mm Shock Body S
				SW-330661A	S35-T/S35 Series Competition Center Drive Join (5mm set screw)
				SW-330663A-112	S35 Competition Steel Center Drive Shaft (ST-112mm)
				SW-330664	SWORKz 1/10 5mm Ball Stud (L10mm)(4PC)
				SWC-330647	S350 BBD Special Brake Cam
				SW-330767A	S35-3 Series Steel F-Center Dive Shaft (88mm)
				SW-330779T-ST	S35-4/e EVO Steering Linkage Steel Ball Stud 7mm (L6 Thread Type)
				SW-330782	S35-3 Series Rear Hub Carriers Hinge Pin
				SW-338011	S35-3 series Pinion Gear Stopper (5x7x5.1mm)(4PC)
				SW-338014	S35-3WT-7075AL Rear Lower Fully Adjustable Toe-In Block(3 degree)
				SW-338023	S35-3W Pinion Gear 13T
				SW-338024	S35-3W Crown Gear 43T
				SW-338025	S35-4 HET Bevel Gear Shaft (2pc)
				SW-338027	S35-4 Front/Rear HET Diff. Outdrive (2pc)
				SW-338028	S35-4 Center HET Diff. Outdrive (2pc)
				SW-338040	S35-4 Series Center Spur Gear for Big Diff. Bevel Gear Case (47T)
				SW-338043	S35-3/4 Series Servo Saver Nut with Screw Fixed
				SW-338048	S35-4 Series Servo Saver Shaft(2PC)
				SW-338056	S35-4 Series Lower Arm Hinge Pin (68.5mm)(2pc)
				SW-338057A	S35-4/e EVO Series T7 Aluminum Front Upper Arm Holder
				SW-338059	S35-4 Series T7 Aluminum Front Lower Arm Holder (FR)
				SW-338062B	SWORKz S35-5/e Series BBS System Teflon Coated Durable Shock Shaft (L)(2PC)

Spare Part List

Item No.	Part Name	Item No.	Part Name
SW-338063B	SWORKz S35-5/e Series BBS System Teflon Coated Durable Shock Shaft (S)(2PC)	SW-106008	M3x12mm Hex Soket OH/TP Screw
SW-338068	S35-4 Series T7 Aluminum Shock Stud (L)(2PC)	SW-106009	M3x25mm Hex Soket OH/TP Screw
SW-338070B	S35 Series Rear Upper Sus. Arm Ball Stud (7.0mm Hex)	SW-106013	M2.5x8mm 1.5mmHex Soket OH/ST Screw
SW-338080	S35/S350 Series Lightened Wheel Hub for 8mm Axil (L5.5mm)	SW-106015	M3x5mm Hex Soket OH/TP Screw
SW-338122-L	S35/S350/Apollo Series Lightened Steering Knuckle Pivot Ball Turnbuckle (Anti-Clockwise)(2PC)	SW-106020	M2.5x5mm 1.5mmHex Soket OH/ST Screw
SW-338122-R	S35/S350/Apollo Series Lightened Steering Knuckle Pivot Ball Turnbuckle (Clockwise)(2PC)	SW-106021A	S35 Series M4x10mm Hex Soket OH/TP Set Screw
SW-338123	S35-4/e EVO Series Servo Saver Post Lay-Down Type (Hard Coated)	SW-106022	M2.5x14mm Socket OH/ST Screw (1.5mmHex)
SW-338124	S35-4/e EVO Series T7 Aluminum Steering Plate	SW-108001	M3x12mm FH/ST HEX Screw
SW-338126	S35-4/e EVO Series T7 Aluminum Setting Bellcrank Upper Part-A	SW-108003	M3x10mm FH/ST HEX Screw
SW-338131	SWORKz S35 Nitro Series Adjustable Break Turnbuckle (M2.5x60mm)(2PC)	SW-108005	M3x14mm FH/ST HEX Screw
SW-338135	SWORKz S35-5 Series AL7075 Aluminum Front Shock Tower Double Line for High Capacity BBS Shock System (SBK)	SW-108006	M3x8mm FH/ST HEX Screw
SW-338136	SWORKz S35-5 Series AL7075 Aluminum Rear Shock Tower Double Line for High Capacity BBS Shock System (SBK)	SW-108007	M3x6mm FH/ST HEX Screw
SW-338137	SWORKz S35-5 Series AL7075 Rear Front Lower Suspension Plate (RF)(SBK)	SW-108010	M4x10mm FH/ST HEX Screw
SW-338139	SWORKz S35-5 Series AL7075 Aluminum Rear Lower Fully Adjustable Toe-In Block(3 degree)(RR)(SBK)	SW-108011	M4x12mm FH/ST HEX Screw
SW-338140	SWORKz S35-5 Series AL7075 Aluminum Front Lower Arm Plate (FF)(SBK)	SW-108013	M4x8mm FH/ST HEX Screw
SW-338141	SWORKz S35-5 Series AL7075 Aluminum Rear Chassis Brace Mount (SBK)	SW-108019	M2.6x6mm FH/ST HEX Screw
SW-338142	SWORKz S35-5 Series AL7075 Aluminum Steering Plate (+5)	SW-108021	M3x18mm FH/ST HEX Screw(10PC)
SW-338143-S	SWORKz S35-5 Series AL7075 Aluminum Lightened Main Chassis (Standard)(Shaft 112mm)	SW-108029	M2.0x4.6mm FH/ST HEX Screw (1.5mm HexHead)
SW-338144	SWORKz S35-5 Series Lightened Emulsion/Bladder 2 Ways System Shock Cap (2PC)	SW-115003A	SWORKz Tornado Clutch Spring II (1.0mm)
SW-338146	SWORKz S35-5 Series Rear Upper Linkage Turnbuckle M5x42mm(2PC)	SW-115011AL	S35 Off Road Series Pipe Spring (Higher)
SW-339008-2.5	SWORKz S35-GT FTE Series Sway Bar Holder (2.5mm)(RD)(2PC)	SW-115019	1/8 Body Clip(10pc)
SW-339008-3.0	SWORKz S35-GT FTE Series Sway Bar Holder (3.0mm)(RD)(2PC)	SW-115098	S35/S350 Series Brake Pad Hold Spring (10PC)
SW-339023	SWORKz S35-GT2.2 FTE Series Sway Bar Adjust Stud (2PC)	SW-116004R	Ball Bearing 6x10x3mm (Red Rubber Case)(4PC)
SW-348005	S35-4/e EVO Series Pro-composite Carbon Steering Knuckle Plate (L&R)(1PC)	SW-116006R	Ball Bearing 8x16x5mm (Red Rubber Case)(10PC)
SW-348006	S35-4 EVO Nitro Series Pro-composite Carbon Center Diff. Plate(1PC)	SW-116019R	Ball Bearing 5x13x4mm (Red Rubber Case)(4PC)
SW-348013	SWORKz S35 Series Pro-composite Carbon LCD Front Upper Arm Cover (1.2mm)	SW-116009	Ball Bearing M5x8x2.5 ZZ (4PC)
SW-348016	SWORKz S35-5 Series Pro-composite Carbon Steering Bellcrank Plate	SW-116010R	Ball Bearing 5x10x4mm (Red Rubber Case)(4PC)
SW-348017	SWORKz S35-5 Series Pro-composite Carbon Radio Tray Servo Plate	SW-117003	Flange Ball Bearing 3x6x2.5mm(2pc)
SW-348018	SWORKz S35-5 Series Pro-composite Carbon Rear Wheel Hub Adjust Plate (Extension)	SW-118003H	S35-4 EVO series Servo Saver Spring(Hard)
SW-400002	O-ring S5 4.8X1.5	SW-118005-2.2	SWORKz S35-5 Series Front Sway Bar 2.2mm
SW-400005	Shock Spring Adjust Nut O-Ring	SW-118005-2.3	SWORKz S35-5 Series Front Sway Bar 2.3mm
SW-400009	Shock Boot (L)	SW-118006-2.6	SWORKz S35-5 Series Rear Sway Bar 2.6mm
SW-400010	Shock Boot (S)	SW-118006-2.8	SWORKz S35-5 Series Rear Sway Bar 2.8mm
SW-400019	S350 New BBS System Shock Spring Adjust Nut O-Ring (4pc)	SW-118007-4	SWORKz S35-5 Series Samurai Competition Front Shock Spring (SS-4Dot)(68X1.4X6.75)(2PC)
SW-400020	S350 New BBS System Shock Seal O-Ring (4pc)	SW-118008-3	SWORKz S35-5 Series Samurai Competition Rear Shock Spring (SL-3Dot)(83X1.5X10.0)(2PC)
SW-400023	S35-4 Series BBS System Seal O-Ring for Emulsion Shock Cap(4PC)		
SW-400024S	S35 Series BBS System Hex-Cell Shock Bladder(Soft)(4PC)		
SW-400038	SWORKz 1/8 Series 3.5mm Shaft X Shock System Seal O-ring (8PC)		
SW-410023	Air Filter Adapter		
SW-410038	Super Silicone Tube 2455x30mm (Transparent)		
SW-420010	Antenna Cup		
SW-420026	S350/S350T Series Option Air Filter Extension Adapter		
SW-510091	SWORKz Original Logo Sticker (2PC)		
SW-540003	SWORKz Cable Straps for 1/8 Buggy Airfilter (10PC)		
SW-610019	S35-3 Series Servo Saver Spring Dusty Protect Sponge (2pc)		
SW-610020B	SWORKz S35 Series HET Center Big Bore Diff. Pro Gasket (3PC)		
SW-610023B	SWORKz S35 Series HET F/R Big Bore Diff. Pro Gasket (3PC)		
SW-610025	SWORKz 1/8 Nitro Buggy High Density Air Filter Foam Set (12 Sets)		
SW-101004	Washer 3.5X10X0.2mm		
SW-101010A	M3 Countersunk Washer(GM)		
SW-101011	M2.6x6xT0.6mm		
SW-101012	M3x6xT0.6mm		
SW-101013	3mm Spring Washer		
SW-101015	M5x8xT0.4mm		
SW-101016	M5x8xT0.8mm		
SW-101018	SHIM 13x16x0.2mm		
SW-101019	SHIM 6.0x10.0x0.2mm		
SW-101020A	S350 Sries 3mm Countersunk Washers (GM)		
SWC-101027	S35 BBD Steel Washer 5X14X0.5mm		
SW-101034	M3x5xT0.2mm(10PC)		
SW-101039	SWORKz HET Diff Steel Washer 5x12x0.3mm(10PC)		
SW-101046	SWORKz Steel Washer M2.6x6xT0.6mm (10PC)		
SW-103001	M3 Nut Lock		
SW-103003A	Flange M3 Nut Lock (GM)		
SW-103004	M2.5mm Nut Lock		
SW-103007	M3 Nut Lock Thin Type (BK)(10PC)		
SW-104002	M3x10 Set Screw (10PC)		
SW-104004	M3x3mm Set Screw		
SW-104005	M3x4mm Set Screw		
SW-104010	M5x4mm Set Screw (Flat Bottom)		
SW-104011	M4x4mm Set Screw (Flat Bottom)		
SW-105001	M3x8mm Cap Screw		
SW-105005	M3x12mm Cap Screw		
SW-105006A	M3x28mm Cap Screw full thread		
SW-105007A	M4x8mm I-Head Screw Thin		
SW-105012	M3x10mm Cap Screw(10pc)		
SW-105013A	M3x25mm Cap Screw		
SW-105018	M2x6mm Cap Head Screw		
SW-105021	M3x6mm Conical Head Screw (10PC)		
SW-105022	M3x16mm Cap Screw(10pc)		
SW-105025	SWORKz M4x8mm Durable Thin I-Head Type Screw(10PC)		
SW-106001	M3x8mm Hex Soket OH/TP Screw		
SW-106002	M3x10mm Hex Soket OH/TP Screw		
SW-106003	M3x16mm Hex Soket OH/TP Screw		
SW-106006	M3x20mm Hex Soket OH/TP Screw		
SW-106007	M3x12mm Hex Soket OH/TP Screw(HT)		

Option Part List

Item No.	Part Name	Item No.	Part Name
SW-115026A	SWORKz Tornado Clutch Spring II (1.1mm)(GR)	SW-348003-20	SWORKz S35-4 Series Pro-composite Carbon Arched-Bridge-System Rear Lower Arm Cover(2.0mm)(2PC)
SW-115077A	SWORKz Tornado Clutch Spring II (0.9mm)(BK)	SWC-116010C	SWORKz Competition 5x10x4mm Ball Bearing(Metal Case)(6PC)
SW-250050A	SWORKz 1/8 Off Road Formula Bulkhead Lexan Wing (0.8mm)(4PC)	SWC-218007A	S35 Series Evolution-CVA Drive Shaft Set 92.5mm(1 Sets)
SW-258004-S	SWORKz 1/8 Off Road Sonic Lexan Wing with Wing Holder (Standard)(Pre-Cut)(2 Sets)	SWC-218007D	S35 Series Advance-CVD Drive Shaft Set 92.5mm(1 Sets)
SW-258004-D	SWORKz 1/8 Off Road Sonic Lexan Wing with Wing Holder (Durable)(Pre-Cut)(2 Sets)	SW-218040	SWORKz S35-5 Series Font Sway Bar Set (2.0/2.1/2.2/2.3/2.4/2.5/2.6/2.7/2.8mm)(9PC)
SW-2501121-10	SWORKz 1/8 Series Shock Cap Insert (8pc)	SW-218041	SWORKz S35-5 Series Rear Sway Bar Set (2.4/2.5/2.6/2.7/2.8/3.0mm)(6PC)
SW-2503260-26	SWORKz 1/8 Series 8x16x5mm BB Plastic Inserts (4PC)	SWC-228012	1/8 E-CVD/A-CVA Axil Holder (10PC)
SW-2501126	Ail Filter Set	SWC-218020-4LD	S35 Series 1-Unit-Fit Aluminum Engine Mount Set (4 Degree Lay-Down)
SW-2501529BH	SWORKz S35/S350 Series Plastic Chassis Brace Set 2.0 (Hard Material)	SWC-218020-6LD	S35 Series 1-Unit-Fit Aluminum Engine Mount Set (6 Degree Lay-Down)
SW-2503260FO	S353 Series Colorful Plastic Inserts Set (FO)	SWC-330633S	SWORKz S35 BBS System SMC Shock Body L(+5.6mm)
SW-2503260FY	S353 Series Colorful Plastic Inserts Set (FY)	SWC-330634S	SWORKz S35 BBS System SMC Shock Body S(+5mm)
SW-2503260LB	S353 Series Colorful Plastic Inserts Set (SB)(2 SET)	SWC-338006	SWORKz Tornado Hi-Performance Lightened Clutch Bell (13T)
SW-210079AH	S35-4 Plastic Center Big Bore HET Diff Case (Hard)	SWC-338020	SWORKz Tornado Hi-Performance Lightened Clutch Bell (14T)
SW-210091H	S35-4 Plastic Front/Rear Big Bore HET Diff Case (Hard)	SWC-338015	S35-3 T-7075AL Rear Hub Carry for Wide Suspension (R=L)(1pc)
SW-218005	S35-3/4 Series HET Center Big Bore Diff. Set (47T)	SWC-338017	S35 Series T-6061AL Rear Hub Carry Insert (6mm)(2pc)
SW-218006	S35-4 Series HET Front/Rear Big Bore Diff. Set (43T)	SWC-338071	S35 Series Advance-CVD Drive Axil(1PC)
SW-218031	S35-4 EVO Lay-Down Type Steering Bellcrank Upgrade Package	SWC-338072	S35 Series Advance-CVD Drive Shaft (92.5mm)(1PC)
SW-218042-F	SWORKz S35-5 Series Front High Capacity Shock Complete Set (Without Springs)	SWC-338073	S35 Series Evolution-CVA Drive Axil(1PC)
SW-218042-R	SWORKz S35-5 Series Rear High Capacity Shock Complete Set (Without Springs)	SWC-338074	S35 Series Evolution-CVA Drive Shaft (92.5mm)(1PC)
SW-228013BK	SWORKz 1/8 Off Road Pro-Speed 2.0 Race Wing (BK)(Pre-Holes)	SWC-338076	S35 Series E-CVA/A-CVD Pin M2.5x14(2PC)
SW-228013WH	SWORKz 1/8 Off Road Pro-Speed 2.0 Race Wing (WH)(Pre-Holes)	SWC-338077	S35-4 Series E-CVA/A-CVD Axil Join(2PC)
SW-228013FY	SWORKz 1/8 Off Road Pro-Speed 2.0 Race Wing (FY)(Pre-Holes)	SWC-338095	S35 Series 1-Unit-Fit Aluminum Engine Mount (6 Degree Lay-Down)
SW-2280055-F	S35-4 Series Front Lower Arm in Soft Material (1PC)	SWC-338096	S35 Series 1-Unit-Fit Aluminum Engine Mount (Upper)(2PC)
SW-228005M-F	S35-4 Series Front Lower Arm in Medium Material (1PC)	SWC-338097	S35 Series 1-Unit-Fit Aluminum Engine Mount (4 Degree Lay-Down)
SW-228015S	SWORKz S35-4 Series Arched-Bridge-System Rear Lower Arm Set (Soft)(1PC)	SWC-338102	S35 Series Pro-Titanium Pivot Ball Turnbuckle (2PC)
SW-228015M	SWORKz S35-4 Series Arched-Bridge-System Rear Lower Arm Set (Medium)(1PC)	SWC-338103	SWORKz 1/8 Series Pro-Titanium Linkage Turnbuckle (M5x35mm)(2PC)
SW-228015U	SWORKz S35-4 Series Arched-Bridge-System Rear Lower Arm Set (Ultra-Hard)(1PC)	SWC-338104	SWORKz 1/8 Series Pro-Titanium Linkage Turnbuckle (M4x40mm)(2PC)
SW-228016-1.3-5	SWORKz 1/8 BBS Precision Plastic Shock Piston(1.3X5Holes)(2PC)	SWC-338105	SWORKz Pro-Titanium Linkage Turnbuckle (M3x30mm)(2PC)
SW-228016-1.4-5	SWORKz 1/8 BBS Precision Plastic Shock Piston(1.4X5Holes)(2PC)	SWC-338132	SWORKz S35-4e/T2e EVO Aluminum Steering Servo Mount
SW-228016-1.3-6	SWORKz 1/8 BBS Precision Plastic Shock Piston(1.3X6Holes)(FY)(2PC)	SWC-338133	SWORKz S35-4/e EVO Series Aluminum Steering Bellcrank Plate
SW-228016-1.4-6	SWORKz 1/8 BBS Precision Plastic Shock Piston(1.4X6Holes)(RD)(2PC)	SW-338142P	SWORKz S35-5 Series AL7075 Aluminum Pro Steering Plate (+10)
SW-228016-DIY	SWORKz 1/8 BBS Precision Plastic Shock Piston(DIY)(4PC)	SW-338139-3.5	SWORKz S35-5 Series AL7075 Aluminum Rear Lower Fully Adjustable Toe-In Block(3.5 degree)(RR)(SBK)
SW-228022AWH	SWORKz 1/8 Off Road Pro Race Wing (WH)(W/o Holes)	SW-348018-H	SWORKz S35-5 Series Pro-composite Carbon Rear Wheel Hub Adjust Plate (Higher Extension)(2PC)
SW-228022AFY	SWORKz 1/8 Off Road Pro Race Wing (FY)(W/o Holes)	SW-339023-2.2	SWORKz S35-5/e/GT FTE Series Sway Bar Adjust Stud(2.2mm)(2PC)
SW-228024H	SWORKz S35 Series LCD Front Upper Arms with Done Force Wings in Hard Material	SW-339023-2.5	SWORKz S35-5/e/GT FTE Series Sway Bar Adjust Stud(2.5mm)(2PC)
SW-228037	SWORKz 1/8 Off Road Sonic Lexan Wing Durable Plstic Holder (BK)(1PC)	SW-339023-2.8	SWORKz S35-5/e/GT FTE Series Sway Bar Adjust Stud(2.8mm)(2PC)
SW-300049	SWORKz S35-3/S350 Series Rear Stainless Chassis End Protection (2PC)	SW-339023-3.0	SWORKz S35-5/e/GT FTE Series Sway Bar Adjust Stud(3.0mm)(2PC)
SW-328002T	SWORKz Tornado Clutch Shoes 2.0 (High Torque)(3PC)	SW-339008-2.8	S35-5/e/GT FTE Series Sway Bar Holder (2.8mm)(RD)(2PC)
SW-330115	Steering Knuckle Pivot Ball Turnbuckle	SW-339008-2.2	SWORKz S35-GT FTE Series Sway Bar Holder (2.2mm)(RD)(2PC)
SW-330116	14mm Knuckle Pivot Ball	SW-118005-2.0	SWORKz S35-5 Series Front Sway Bar 2.0mm
SW-330125A	S350 Series Aluminum Rear Upper Sus. Arm Ball Stud(4pc)	SW-118005-2.1	SWORKz S35-5 Series Front Sway Bar 2.1mm
SW-330134A	S350 Series Aluminum Shock Ball Stud(4pc)	SW-118005-2.4	SWORKz S35-5 Series Front Sway Bar 2.4mm
SW-330168A	S35-3 Series Rear Chassis Blance wight 15g(2pc)	SW-118005-2.5	SWORKz S35-5 Series Front Sway Bar 2.5mm
SW-330398A	SWORKz S350 Series Pro Wheel Nut (GM)	SW-118005-2.6	SWORKz S35-5 Series Front Sway Bar 2.6mm
SW-330420	S350 Series Knuckle Pivot Ball Balance Nut (5.5g) (2pc)	SW-118005-2.7	SWORKz S35-5 Series Front Sway Bar 2.7mm
SW-330424	S350 Series Aluminum Wing Holder (RED)	SW-118005-2.8	SWORKz S35-5 Series Front Sway Bar 2.8mm
SW-330424B	S350 Series Aluminum Wing Holder (BK)	SW-118006-2.4	SWORKz S35-5 Series Rear Sway Bar 2.4mm
SW-330424G	S350 Series Aluminum Wing Holder (GM)	SW-118006-2.5	SWORKz S35-5 Series Rear Sway Bar 2.5mm
SW-330505A	S35 Series Lightened Wheel Hub for 8mm Axil (L6.5mm)	SW-118006-2.7	SWORKz S35-5 Series Rear Sway Bar 2.7mm
SW-330506A	S35 Series Lightened Wheel Hub for 8mm Axil (L5.0mm)	SW-118006-3.0	SWORKz S35-5 Series Rear Sway Bar 3.0mm
SW-330568	S350 Buggy Series Aluminum Center Diff. Mount	SW-118007-5	SWORKz S35-5 Series Samurai Competition Front Shock Spring (SS-5Dot)(68X1.4X6.25)(2PC)
SW-330767	S35-3 Series T-7075 Aluminum F-Center Dive Shaft (88mm)	SW-118008-4	SWORKz S35-5 Series Samurai Competition Rear Shock Spring (SL-4Dot)(83X1.5X9.5)(2PC)
SW-330779T-AL	S35-4e EVO Steering Linkage Aluminum Ball Stud 7mm (L6 Thread Type)(4PC)	SWC-118003H24	SWORKz S35-4 EVO series Servo Saver Spring(Hard 2.4)
SW-338029-16	S35-4 Series High Density Clutch Bell 16T	SWC-348014ASP	SWORKz Performance S35-4/5 Series Pro-composite Carbon Sideguard (Matte)(Set)
SW-338029-17	S35-4 Series High Density Clutch Bell 17T	SWC-338143SP	SWORKz Performance S35-5 Series AL7075 Aluminum Lightened Longer Main Chassis (Shaft 115mm)
SW-338030-57	S35-4 Series High Density Spur Gear for Big Bore Diff. Case (57T)	SWC-339033SP-32	SWORKz Performance Competition Cooling Brake Disc (32mm)
SW-338030-58	S35-4 Series High Density Spur Gear for Big Bore Diff. Case (58T)	SWC-339033SP-30	SWORKz Performance Competition Cooling Brake Disc (30mm)
SW-338030-59	S35-4 Series High Density Spur Gear for Big Bore Diff. Case (59T)	SWC-118004SP	SWORKz Performance Competition Cooling Brake Disc Hold Spring (Soft) (4PC)
SW-338030-60	S35-4 Series High Density Spur Gear for Big Bore Diff. Case (60T)	SWC-105024SP	SWORKz Performance M3x6mm Conical Head Screw (4PC)
SW-338033	SWORKz S35-3 Series Lightened Aluminum Front Chassis Brace	SWC-116006SP	SWORKz Performance Ceramics Ball Bearing 8x16x5mm (6PC)
SW-338034	SWORKz S35-3 Series Lightened Aluminum Front Chassis Brace	SWC-116019SP	SWORKz Performance Ceramics Ball Bearing 5x13x4mmmm (4PC)
SW-338035A	SWORKz S35 Series Lightened Aluminum Rear Chassis Brace		
SW-338036	SWORKz 1/8 Nitro Series Pipe Spring Lock (1 set)		
SW-338039	S35-3/4 Series Center HET Spur Gear (46T)		
SW-338041	S35-3/4 Series Center HET Spur Gear (48T)		
SW-338070A	S35 Series Rear Upper Arm Aluminum Ball Stud(2PC)		
SW-338075	S35-4 Series T7 Aluminum Rear Wheel Hub (R=L)(2PC)		
SW-338078-25	SWORKz Uni-Design 2-Way System Aluminum Steering Servo Horn 25T		
SW-338078-23	SWORKz Uni-Design 2-Way System Aluminum Steering Servo Horn 23T		
SW-338079-25	SWORKz Uni-Design Aluminum Throttle Servo Horn 25T		
SW-338079-23	SWORKz Uni-Design Aluminum Throttle Servo Horn 23T		
SW-340022-10	S35-4/E Series Pro-composite Carbon Front Lower Arm Cover (1mm)(2PC)		
SW-340022-15	S35-4/E Series Pro-composite Carbon Front Lower Arm Cover (1.5mm)(2PC)		
SW-340022-20	S35-4/E Series Pro-composite Carbon Front Lower Arm Cover (2mm)(2PC)		
SW-400021	S350 New BBS System Shock Bladder (Soft)(4pc)		
SW-410023	Air Filter Adapter		
SW-400024M	S35 Series BBS System Hex-Cell Shock Bladder(Medium)(4PC)		
SW-610025A	SWORKz 1/8 Nitro Buggy High Density Air Filter Foam Set (6 Sets)		
SW-348003-10	SWORKz S35-4 Series Pro-composite Carbon Arched-Bridge-System Rear Lower Arm Cover(1.0mm)(2PC)		
SW-348003-15	SWORKz S35-4 Series Pro-composite Carbon Arched-Bridge-System Rear Lower Arm Cover(1.5mm)(2PC)		

S35-F

1/8 Off Road Nitro Power Pro Buggy



SPEEDMASTER HOBBY CO., LTD.

TEL: +886-3-538-7638

FAX: +886-3-538-7328

No.89, Ln. 225, Xiangbei Rd., Xiangshan Dist.,
Hsinchu City 300066, Taiwan (R.O.C.)

www.sworkz.com